



















# DoubleLok / UltraDek

## Perimeter Trim Reference - Standard Trim

|  |   |   |  |   |   |
|--|---|---|--|---|---|
|  |    |    |     |       |  |
|  | Gutter<br>F1301   | Gutter Lap<br>2" Lap  | Gutter Cap<br>F1302  | Expansion Cover<br>F1304/F1303  | Gutter Clip<br>F246   |
|  | Roof Stitch Screw<br>12" O.C.<br>Roof Color   | 40" Tube Sealant<br>(10) Fastener #14<br>Trim Color                                 | 14" Tube Sealant<br>(9) Fastener #14<br>Trim Color                                   | (9) Fastener #14<br>Trim Color  | (1) Roof Stitch Screw<br>Roof Color<br>(1) Roof Stitch Screw<br>Trim Color          |
| <b>1/4" Wall Panel</b>   |    |    |     |      |  |
|  | Rake<br>F1501   | Rake Lap<br>2" Lap  | Rake Cap (On Mod)<br>F2350/F1502   | Rake Cap (Off Mod)<br>F1502/F2351   | Peak Box<br>F1503   |
|  | Roof Member Screw<br>24" O.C.<br>Trim Color   | 18" Tube Sealant<br>(6) Fastener #14<br>(2) Roof Stitch<br>Screw<br>Trim Color      | 27" Tube Sealant<br>(8) Fastener #14<br>Trim Color                                   | 21" Tube Sealant<br>(8) Fastener #14<br>Trim Color<br>(2) Fastener #1<br>24" Tape HW504 | (3) Wall Stitch Screw<br>Trim Color   |
| <b>1/4" Wall Panel</b>   |  |  |   |     |   |
|  | Highside<br>F1901   | Highside Lap<br>2" Lap  | Outside Corner<br>Right as Shown   | Inside Corner<br>Field Work   |   |
|  | Roof Stitch Screw<br>4" O.C.<br>Wall Stitch Screw<br>12" O.C.<br>Trim Color         | 23" Tube Sealant<br>(8) Fastener #14<br>(3) Roof Stitch<br>Screw<br>Trim Color      | 27" Tube Sealant<br>(7) Fastener #14<br>(4) Roof Stitch<br>Screw Trim Color          | 27" Tube Sealant<br>(7) Fastener #14<br>(4) Roof Stitch<br>Screw Trim Color             |   |
|  |  |  |  |   |   |
| Outside Corner<br>Right as shown   | Inside Corner<br>Field Work   | Outside Corner<br>Field Work  | Inside Corner<br>Field Work  |   |   |
| 27" Tube Sealant<br>(20) Fastener #14<br>(2) Roof Stitch<br>Screw Trim Color       | 23" Tube Sealant<br>(11) Fastener #14<br>(2) Roof Stitch<br>Screw Trim Color        | 23" Tube Sealant<br>(12) Fastener #14<br>Trim Color                                 | 23" Tube Sealant<br>(12) Fastener #14<br>Trim Color                                  |   |   |